			Technical specificat bucket JETB 560 Jokey Euro Tainer Box dimensions D1: 132,0 mm D2: 122,0 mm D3: 114,0 mm H:* 62,5 mm *Height without lid	tion $ \begin{array}{c} $
basic data	volume to rim:	0,66 I	handle types	tolerances
	weight:	22,0 g	metal handle	- dimensions: +/- 1 mm
	weight group:	Medium	plastic handle	- volume/weight: +/- 10 %
			belt handle	-
			no handle	+
			body grip	-
			roller grips	-
decoration	Digital		IML	offset
height:	0,0 mm		45,6 mm	0,0 mm
width:	0,0 mm		373,7 mm	0,0 mm
median breadth:	DETB 130	FDETB 130		0,0 mm
LIG	standard	sealing lid		
stacking height two		129,6 mm		
each further:	55,0 mm	63,0 mm		
logistic	Max. compressi	ion for standard li	id at 20°C on the lowest pail: 0,00 kg	
	pieces per pallet		EUP (Europallet)	material
	Bucket	1920	80 cm (31,5 ^{''}) x 120 cm (47,24 ^{''})	
	pallet height	1,20 m		
	layer quantities: 54			PP C QM / certificates You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 09.03.2015 rev. 2.0

C		Technical s DETB 130	Technical specification lid DETB 130		
			30,5 mm ,0 mm		
basic data	displaced volume:: weight: weight group:	0,10 I 9,5 g Medium	tolerances dimensions: volume/weight:	+/- 1 mm +/- 10 %	
decoration Diameter		IML 120,0 mm	<mark>offset</mark> 92,0 mm		
Bucket	JETB 560 JETB 860	JETB 11	JETB 1180 JETB 1	2	
logistic	pieces per palletLid19200pallet height2,20 mlayer quantities: 54	EUP (Europallet) 80 cm (31,5'') x 12	20 cm (47,24'') PP QM / certific You can down	Sintes load our current www.jokey.com.	
echnical Guidelines, whi tygiene standards, storage	ich shall also form an integral part of the conte ge, filling and performance requirements as we ve recommend. Our terms and Conditions of D	nt of any delivery transaction. In our Il to applications and transport. Verba	es and ink adhesion of the design, express refe Technical Guidelines you will also find details r al statements regarding technical data or attribu y be available. For technical reasons, the produ	eferring to strictest quality and utes of our products shall always b	

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 09.03.2015 rev. 2.0

C			Technical specification lid FDETB 130		
			31,0 mm 2,0 mm		
basic data	displaced volume:: weight: weight group:	0,00 I 10,0 g Medium	tolerances dimensions: volume/weight:	+/- 1 mm +/- 10 %	
decoration Diameter		IML 120,0 mm	offset 0,0 mm		
Bucket	JETB 560 JETB 860	JETB 11	JETB 1180 JETB 1	2	
logistic	pieces per palletLid19200pallet height2,20 mlayer quantities: 54	EUP (Europallet) 80 cm (31,5'') x 1	20 cm (47,24'') PP C QM / certific You can down	cates load our current www.jokey.com.	
Technical Guidelines, w hygiene standards, stor	t to our General Terms and Conditions of Delive hich shall also form an integral part of the conte age, filling and performance requirements as we t we recommend. Our terms and Conditions of De titions reserved.	nt of any delivery transaction. In our Il to applications and transport. Verb	Technical Guidelines you will also find details r al statements regarding technical data or attribu	eferring to strictest quality and utes of our products shall always be	

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 09.03.2015 rev. 2.0