




Technical specification bucket JET 23

Jokey Euro Tainer



dimensions

D1: 175,0 mm
D2: 163,0 mm
D3: 149,0 mm
H:* 131,0 mm
*Height without lid



basic data

volume to rim: 2,40 l
weight: 63,0 g
weight group: Medium

handle types

metal handle -
plastic handle 4,0 g
belt handle -
no handle -
body grip -
roller grips -

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 5 %

decoration

Digital

height: 85,0 mm
width: 483,0 mm
median breadth:

IML

113,3 mm
491,3 mm

offset

85,0 mm
470,0 mm
483,0 mm

Lid

DET 172

standard

stacking height two fi 255,0 mm
each further: 123,5 mm

FDET 172

sealing lid

270,5 mm
132,5 mm

logistic


Max. compression for standard lid at 20°C on the lowest pail: 17,00 kg

pieces per pallet

Bucket 1200
pallet height 1,20 m
layer quantities: 30

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 11.05.2017 rev. 2.3



Technical specification lid DET 172



dimensions

D1: 172,0 mm
H: 10,0 mm

basic data

displaced volume:: 0,10 l
weight: 17,0 g
weight group: Medium

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 5 %

decoration

Diameter

IML

151,5 mm

offset

125,0 mm

Bucket

JET 23



JET 26




logistic

pieces per pallet

Lid 6000
pallet height 1,20 m
layer quantities: 30

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 09.03.2015 rev. 2.0



Technical specification lid

FDET 172



dimensions

D1: 172,0 mm
H: 15,0 mm

basic data

displaced volume:: 0,00 l
weight: 18,0 g
weight group: Medium

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 5 %

decoration

Diameter

IML

0,0 mm

offset

0,0 mm

Bucket

JET 23



JET 26



logistic

pieces per pallet

Lid 4800
pallet height 1,20 m
layer quantities: 30

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 09.03.2015 rev. 2.0