



Technical specification bucket



JETB 870

Jokey Euro Tainer Box

dimensions


D1: 118,0 mm

D2: 107,0 mm

D3: 92,0 mm

H:* 124,0 mm

*Height without lid



basic data	volume to rim:	0,94 l	handle types	tolerances
	weight:	27,5 g	metal handle	- dimensions: +/- 1 mm
	weight group:	Medium	plastic handle	- volume/weight: +/- 5 %
			fitted handle tight	1,0 g
			no handle	+
			body grip	-
			roller grips	-

decoration	Digital	IML	offset
height:	0,0 mm	103,5 mm	0,0 mm
width:	0,0 mm	316,7 mm	0,0 mm
median breadth:			0,0 mm

Lid	DET B 116	FDET B 116
	standard	sealing lid
stacking height two fi	241,0 mm	254,5 mm
each further:	116,0 mm	126,5 mm

logistic	Max. compression for standard lid at 20°C on the lowest pail: 6,00 kg
	pieces per pallet
	EUP (Europallet)
	80 cm (31,5'') x 120 cm (47,24'')
	Bucket 3000
	pallet height 1,20 m
	layer quantities: 60

material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 24.05.2018 rev. 2.4



Technical specification lid DETB 116



dimensions

D1: 116,0 mm
H: 9,5 mm

basic data

displaced volume:: 0,08 l
weight: 7,0 g
weight group: Medium

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 15 %

decoration

Diameter

IML

98,5 mm

offset

85,0 mm

Bucket

JETB 480



JETB 550



JETB 850



JETB 870



JSP 1850



JETB 1000



logistic

pieces per pallet

Lid 24000
pallet height 2,20 m
layer quantities: 0

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 09.03.2015 rev. 2.0



Technical specification lid

FDETB 116



dimensions

D1: 115,5 mm
H: 12,0 mm

basic data

displaced volume:: 0,00 l
weight: 8,0 g
weight group: Medium

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 15 %

decoration

Diameter

IML

0,0 mm

offset

0,0 mm

Bucket

JETB 480



JETB 550



JETB 850



JETB 870



JSP 1850



JETB 1000



logistic

pieces per pallet

Lid 19200
pallet height 2,20 m
layer quantities: 0

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 09.03.2015 rev. 2.0