



Technical specification bucket

JETO 180 P


Jokey Euro Tainer oval Profi



dimensions

- D1: 391,0 x 301,0 mm
- D2: 376,0 x 286,0 mm
- D3: 350,0 x 260,0 mm
- H:* 270,0 mm


*Height without lid



| | | | | | | | | |
|------------------------|-------------------|--------------------|---------------------|----------------|--------|-------------------|----------------|----------|
| basic data | volume to rim: | 20,60 l | handle types | metal handle | 46,0 g | tolerances | dimensions: | +/- 1 mm |
| | weight: | 480,0 g | | plastic handle | - | | volume/weight: | +/- 5 % |
| | weight group: | Medium | | belt handle | - | | | |
| | | | no handle | - | | | | |
| | | | body grip | - | | | | |
| | | | roller grips | 3,0 g | | | | |
| decoration | Digital | | IML | | | offset | | |
| height: | 200,0 mm | | 0,0 mm | | | 200,0 mm | | |
| width: | 1010,0 mm | | 0,0 mm | | | 945,0 mm | | |
| median breadth: | | | | | | 1010,0 mm | | |
| Lid | DETO 180 P | DETO 180 PR | | | | | | |
| | standard | shaker lid | | | | | | |
| stacking height two fi | 521,0 mm | 524,0 mm | | | | | | |
| each further: | 250,0 mm | 253,0 mm | | | | | | |

| | | |
|-----------------|--|-------------------------|
| logistic | Max. compression for standard lid at 20°C on the lowest pail: 45,00 kg | |
| | pieces per pallet | EUP (Europallet) |
| | Bucket | 368 |
| | pallet height | 2,20 m |
| | layer quantities: 8 | |

80 cm (31,5'') x 120 cm (47,24'')



material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



Technical specification lid

DETO 180 P



dimensions

D1: 389,0 x 299,0 mm
H: 22,2 mm

basic data

displaced volume:: 1,50 l
weight: 130,0 g
weight group: Medium

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 5 %

decoration

height:
width:

IML

266,0 mm
189,0 mm

offset

225,0 mm
300,0 mm

Bucket

JETO 150 P



JETO 170 P



JETO 180 P




logistic

pieces per pallet

Lid 1280
pallet height 2,20 m
layer quantities: 8

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 09.03.2015 rev. 2.0



Technical specification lid

DETO 180 PR



dimensions

D1: 389,0 x 299,0 mm
H: 16,0 mm

basic data

displaced volume:: 1,30 l
weight: 135,0 g
weight group: Medium

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 5 %

decoration

height:
width:

IML

266,0 mm
189,0 mm

offset

225,0 mm
300,0 mm

Bucket

JETO 150 P



JETO 170 P



JETO 180 P




logistic

pieces per pallet

Lid 1200
pallet height 2,20 m
layer quantities: 8

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 09.03.2015 rev. 2.0